Fischer Type "G2"
Portable Diathermy Apparatus

257-A

Fischer Intermediate
Model "V" Diathermy Apparatus

Fischer Type "G2"
Portable Diathermy Apparatus

Light Therapy



Radiant Light Treatment

Squamous Cell Carcinoma Treated by Electrocoagulation—Cont.

Fig. 10
Final Coagulation

Fig. 11
After the Operation

Squamous Cell Carcinoma *Treated by Electrocoagulation*



Fig. 8
Before Operation

Fig. 9
Removal of Mass

Fig. 4 — Epithelioma of lip, before electrocoagulation

Fig. 5 — Epithelioma of lip after coagulation

Fig. 6—Epithelioma before coagulation

Fig. 7—Epithelioma after coagulation

Treatment of benign skin blemish by Surgical Diathermy



Fig. 1 — Above: Injecting local anesthetic.

Fig. 2 — Center: Coagulating with the needle point electrode.

Fig. 3 — Below: Coagulated area after operation is completed.

Carcinoma of the Eye

Exterior Of Eye

Showing Interior

Carcinoma of the Eye



Treated by Surgical Diathermy



The "Kolischer"
Spark Gap

135-A



Fischer "L-O" Senior Diathermy Cabinet

Physician's Portable Diathermy Outfit

Fischer Type "GP2," Open

Fischer Type "GP2," Closed

Physiotherapy in a State Hospital



Diathermy Treatment with Portable Outfit

Physiotherapy in a State Hospital



Diathermy Treatment with Senior Outfit

"AMONG THOSE PRESENT" AT THE
FOURTH ANNUAL PHYSIOTHERAPEUTIC
CONVENTION
DRAKE HOTEL, CHICAGO
OCTOBER 12-16, 1925

Lectures, Clinics and Discussions

on

Electro-Physiotherapy

Held at

THE DRAKE HOTEL
Chicago, Illinois

OCTOBER 12 to 16
1925

Under the Auspices of
H. G. FISCHER & COMPANY, INC.